Mauritania

HPV INFORMATION CENTRE

Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)

I. Key data on HPV and HPV-related cancers



Mauritania has a population of 1.42 million women ages 15 years and older who are at risk of developing cervical cancer. Current estimates indicate that every year 428 women are diagnosed with cervical cancer and 286 die from the disease. Cervical cancer ranks as the 2nd most frequent cancer among women in Mauritania and the 2nd most frequent cancer among women between 15

and 44 years of age. Data is not yet available on the HPV burden in the general population of Mauritania. However, in Western Africa, the region Mauritania belongs to, about 4.3% of women in the general population are estimated to harbour cervical HPV-16/18 infection at a given time, and 55.6% of invasive cervical cancers are attributed to HPVs 16 or 18.

Table 1. Crude incidence rates of HPV-related cancers

	Male	Female
Cervical cancer	-	18.5
Anal cancer	0.69	0.48
Vulva cancer	-	0.60
Vaginal cancer	-	0.35
Penile cancer	0	-
Oropharyngeal cancer	0.17	0.09
Oral cavity cancer	1.20	1.08
Laryngeal cancer	0.56	0

Table 2. Burden of cervical cancer

	Incidence	Mortality
Annual number of new cases/deaths	428	286
Crude rate	18.5	12.4
Age-standarized rate	28.9	20.3
Cumulative risk 0-74 years (%)	3.36	2.45
Ranking of cervical cancer (all years)	2nd	1st
Ranking of cervical cancer (15-44 years)	2nd	2nd

Table 3. Burden of cervical HPV infection Mauritania

	No.	lested	% (95% CI)
HPV 16/18 prevalence:			
Normal cytology		-	-
Low-grade cervical lesions		-	-
High-grade cervical lesions		-	-
Cervical cancer		-	-

Figure 1. Comparison of the ten most frequent HPV oncogenic types in Mauritania among women with and without cervical lesions

No data available

Mauritania



Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)

II. Complementary data on cervical cancer prevention

Table 4. Factors contributing to cervical cancer (cofactors)

Smoking prevalence (%) [95% UI], women	- [—]
Total fertility rate (live births per women)	4.6
Hormonal contraception use (%)	10.7
HIV prevalence (%) [95% UI] (15-49 years)	0.2 [0.1-0.2]

Table 5 Sexual behaviour

Table 5. Sexual bellaviour	
MEN	
Percentage of 15-year-old who have had sexual intercourse	-
Range of median age at first sexual intercourse	-
WOMEN	
Percentage of 15-year-old who have had sexual intercourse	-
Range of median age at first sexual intercourse	-


Table 6. HPV vaccine introduction

Females	
HPV vaccination programme	Introduced
Year of introduction	2021
Year of estimation	2021
HPV coverage – first dose (%)	39
HPV coverage – last dose (%)	-
Males	
HPV vaccination programme	Introduced
Year of introduction	2021
Year of estimation	2021
HPV coverage – first dose (%)	-
HPV coverage – last dose (%)	-

Table 7. Cervical screening practices and recommendations

Existence of official national rec-	No
ommendations	
Starting year of recommendations	-
Active invitation to screening	-
Screening ages (years), primary screening test used, and screening interval or frequency of screenings	-

Figure 2. Estimated coverage of cervical cancer screening in Mauritania*



^{*} Estimated coverage and 95% confidence interval in 2019

Contact information:

ICO/IARC HPV Information Centre

Institut Català d'Oncologia

Avda. Gran Via de l'Hospitalet, 199-203

08908 L'Hospitalet de Llobregat (Barcelona, Spain)

info@hpvcentre.net

www.hpvcentre.net