# Panama



## Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)

## I. Key data on HPV and HPV-related cancers



Panama has a population of 1.63 million women ages 15 years and older who are at risk of developing cervical cancer. Current estimates indicate that every year 346 women are diagnosed with cervical cancer and 194 die from the disease. Cervical cancer ranks as the 2nd most frequent cancer among women in Panama and the 2nd most frequent cancer

among women between 15 and 44 years of age. Data is not yet available on the HPV burden in the general population of Panama. However, in Central America, the region Panama belongs to, about 4.1% of women in the general population are estimated to harbour cervical HPV-16/18 infection at a given time, and 63.1% of invasive cervical cancers are attributed to HPVs 16 or 18.

Table 1. Crude incidence rates of HPV-related cancers

	Male	Female
Cervical cancer	-	16.1
Anal cancer	0.28	0.46
Vulva cancer	-	0.60
Vaginal cancer	-	0.60
Penile cancer	1.16	-
Oropharyngeal cancer	1.34	0.14
Oral cavity cancer	1.25	1.07
Laryngeal cancer	1.71	0.42

Table 2. Burden of cervical cancer

	Incidence	Mortality
Annual number of new cases/deaths	346	194
Crude rate	16.1	9.00
Age-standarized rate	14.0	7.54
Cumulative risk 0-74 years (%)	1.37	0.80
Ranking of cervical cancer (all years)	2nd	3rd
Ranking of cervical cancer (15-44 years)	2nd	1st

Table 3. Burden of cervical HPV infection Panama

	No. Tested	% (95% CI)
HPV 16/18 prevalence:		
Normal cytology	-	-
Low-grade cervical lesions	-	-
High-grade cervical lesions	-	-
Cervical cancer	68	63.2 (51.4-73.7)

Figure 1. Comparison of the ten most frequent HPV oncogenic types in Panama among women with and without cervical lesions

No data available

# Panama



## Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)

### II. Complementary data on cervical cancer prevention

#### Table 4. Factors contributing to cervical cancer (cofactors)

Smoking prevalence (%) [95% UI], women	2.4 [1.7-3.2]
Total fertility rate (live births per women)	2.5
Hormonal contraception use (%)	11.4
HIV prevalence (%) [95% UI] (15-49 years)	0.6 [0.5-0.6]

#### Table 5. Sexual behaviour

TABLE OF COMMUNICATION	
MEN	
Percentage of 15-year-old who have had sexual intercourse	-
Range of median age at first sexual intercourse	-
WOMEN	
Percentage of 15-year-old who have had sexual intercourse	-
Range of median age at first sexual intercourse	17.0


### Table 6. HPV vaccine introduction

Females	
HPV vaccination programme	Introduced
Year of introduction	2008
Year of estimation	2021
HPV coverage – first dose (%)	-
HPV coverage – last dose (%)	_
Males	
HPV vaccination programme	Introduced
Year of introduction	2016
Year of estimation	2021
HPV coverage - first dose (%)	-
HPV coverage – last dose (%)	-

Table 7. Cervical screening practices and recommendations

Existence of official national rec-	Yes
ommendations	
Starting year of recommendations	2017
Active invitation to screening	No
Screening ages (years), pri-	21-70 (cytology, 2
mary screening test used, and	years); 25-64 (HPV
screening interval or frequency of	test, 3 years); 30-64
screenings	(cytology and HPV test,
	3 years); Unk (VIA, unk)

Figure 2. Estimated coverage of cervical cancer screening in Panama\*



<sup>\*</sup> Estimated coverage and 95% confidence interval in 2019

#### Contact information:

ICO/IARC HPV Information Centre

Institut Català d'Oncologia

Avda. Gran Via de l'Hospitalet, 199-203

08908 L'Hospitalet de Llobregat (Barcelona, Spain)

info@hpvcentre.net

www.hpvcentre.net