Suriname



Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)

I. Key data on HPV and HPV-related cancers



Suriname has a population of 229,305 women ages 15 years and older who are at risk of developing cervical cancer. Current estimates indicate that every year 78 women are diagnosed with cervical cancer and 48 die from the disease. Cervical cancer ranks as the 2nd most frequent cancer among women in Suriname and the 2nd most frequent can-

cer among women between 15 and 44 years of age. Data is not yet available on the HPV burden in the general population of Suriname. However, in South America, the region Suriname belongs to, about 5.8% of women in the general population are estimated to harbour cervical HPV-16/18 infection at a given time, and 62.6% of invasive cervical cancers are attributed to HPVs 16 or 18.

Table 1. Crude incidence rates of HPV-related cancers

| | Male | Female |
|----------------------|------|--------|
| Cervical cancer | - | 26.7 |
| Anal cancer | 0 | 0.69 |
| Vulva cancer | - | 1.37 |
| Vaginal cancer | - | 0.34 |
| Penile cancer | 1.36 | - |
| Oropharyngeal cancer | 0.68 | 0 |
| Oral cavity cancer | 2.71 | 1.03 |
| Laryngeal cancer | 2.04 | 0 |

Table 2. Burden of cervical cancer

| | Incidence | Mortality |
|--|-----------|-----------|
| Annual number of new cases/deaths | 78 | 48 |
| Crude rate | 26.7 | 16.4 |
| Age-standarized rate | 23.7 | 14.1 |
| Cumulative risk 0-74 years (%) | 2.45 | 1.62 |
| Ranking of cervical cancer (all years) | 2nd | 3rd |
| Ranking of cervical cancer (15-44 years) | 2nd | 2nd |

Table 3. Burden of cervical HPV infection Suriname

| | No. Tested | % (95% CI) |
|-----------------------------|------------|------------------|
| HPV 16/18 prevalence: | | |
| Normal cytology | - | - |
| Low-grade cervical lesions | - | - |
| High-grade cervical lesions | - | - |
| Cervical cancer | 116 | 52.6 (43.6-61.4) |

Figure 1. Comparison of the ten most frequent HPV oncogenic types in Suriname among women with and without cervical lesions

No data available

Suriname



Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)

II. Complementary data on cervical cancer prevention

Table 4. Factors contributing to cervical cancer (cofactors)

| Smoking prevalence (%) [95% UI], women | 7.4 [3.2-13] |
|--|---------------|
| Total fertility rate (live births per women) | 2.3 |
| Hormonal contraception use (%) | 24.7 |
| HIV prevalence (%) [95% UI] (15-49 years) | 1.2 [0.8-1.7] |

Table 5. Sexual behaviour

| <u></u> | olo ol ooxuul bolluvioul |
|---------|---|
| ME | N |
| | Percentage of 15-year-old who have had sexual intercourse |
| | Range of median age at first sexual intercourse |
| WO | MEN |
| | Percentage of 15-year-old who have had sexual intercourse |
| | Range of median age at first sexual intercourse |


Table 6. HPV vaccine introduction

| 144010 01 111 1 144001110 111110 444011011 | |
|--|---------------------------------|
| Females | |
| HPV vaccination programme | Introduced |
| Year of introduction | 2013 |
| Year of estimation | 2021 |
| HPV coverage – first dose (%) | 3 |
| HPV coverage – last dose (%) | 2 |
| Males | |
| HPV vaccination programme | Not Available/Not Introduced |
| Year of introduction | - |
| Year of estimation | - |
| HPV coverage – first dose (%) | - |
| HPV coverage – last dose (%) | - |
| | |

Table 7. Cervical screening practices and recommendations

| Existence of official national rec- | No |
|--|----|
| ommendations | |
| Starting year of recommendations | - |
| Active invitation to screening | - |
| Screening ages (years), primary screening test used, and | - |
| screening interval or frequency of | |
| screenings | |

Figure 2. Estimated coverage of cervical cancer screening in Suriname*



^{*} Estimated coverage and 95% confidence interval in 2019

Contact information:

ICO/IARC HPV Information Centre

Institut Català d'Oncologia

Avda. Gran Via de l'Hospitalet, 199-203

08908 L'Hospitalet de Llobregat (Barcelona, Spain)

info@hpvcentre.net

www.hpvcentre.net