Samoa



Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)

I. Key data on HPV and HPV-related cancers



Samoa has a population of 68,257 women ages 15 years and older who are at risk of developing cervical cancer. Current estimates indicate that every year 10 women are diagnosed with cervical cancer and 6 die from the disease. Cer-

vical cancer ranks as the 7th most frequent cancer among women in Samoa and the 4th most frequent cancer among women between 15 and 44 years of age. Data is not yet available on the HPV burden in the general population of Samoa. However, in Oceania, about 8.3% of women in the general population are estimated to harbour cervical HPV-16/18 infection at a given time, and 76.6% of invasive cervical cancers are attributed to HPVs 16 or 18.

Table 1. Crude incidence rates of HPV-related cancers

	Male	Female
Cervical cancer	-	10.4
Anal cancer	0	0
Vulva cancer	-	0
Vaginal cancer	-	0
Penile cancer	0	-
Oropharyngeal cancer	0	0
Oral cavity cancer	3.89	1.04
Laryngeal cancer	0.97	0

Table 2. Burden of cervical cancer

	Incidence	Mortality
Annual number of new cases/deaths	10	6
Crude rate	10.4	6.27
Age-standarized rate	12.4	7.52
Cumulative risk 0-74 years (%)	1.48	0.96
Ranking of cervical cancer (all years)	7th	7th
Ranking of cervical cancer (15-44 years)	4th	3rd

Table 3. Burden of cervical HPV infection Samoa

	No. Tested	% (95% CI)
HPV 16/18 prevalence:		
Normal cytology	-	-
Low-grade cervical lesions	-	-
High-grade cervical lesions	-	-
Cervical cancer	-	-

Figure 1. Comparison of the ten most frequent HPV oncogenic types in Samoa among women with and without cervical lesions

No data available

Samoa



Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)

II. Complementary data on cervical cancer prevention

Table 4. Factors contributing to cervical cancer (cofactors)

Smoking prevalence (%) [95% UI], women	16.4 [10.8-22.4]
Total fertility rate (live births per women)	3.9
Hormonal contraception use (%)	5.90
HIV prevalence (%) [95% UI] (15-49 years)	- [—]

Table 5. Sexual behaviour

<u> 1a</u>	ble 5. Sexual behaviour	
ME	N	
	Percentage of 15-year-old who have had sexual intercourse	-
	Range of median age at first sexual intercourse	-
WC	DMEN	
	Percentage of 15-year-old who have had sexual intercourse	-
	Range of median age at first sexual intercourse	-


Table 6. HPV vaccine introduction

Females	
HPV vaccination programme	Not Available/Not Introduced
Year of introduction	-
Year of estimation	-
HPV coverage – first dose (%)	-
HPV coverage – last dose (%)	
Males	_
HPV vaccination programme	Not Available/Not Introduced
Year of introduction	-
Year of estimation	-
HPV coverage – first dose (%)	-
HPV coverage – last dose (%)	<u> </u>

Table 7. Cervical screening practices and recommendations

Existence of official national rec-	No
ommendations	
Starting year of recommendations	-
Active invitation to screening	-
Screening ages (years), primary screening test used, and screening interval or frequency of screenings	-

Figure 2. Estimated coverage of cervical cancer screening in Samoa*



^{*} Estimated coverage and 95% confidence interval in 2019

Contact information:

ICO/IARC HPV Information Centre

Institut Català d'Oncologia

Avda. Gran Via de l'Hospitalet, 199-203

08908 L'Hospitalet de Llobregat (Barcelona, Spain)

info@hpvcentre.net

www.hpvcentre.net